Corporate Presentation

July 20, 2022

Forward-Looking Statements

This document has been prepared by Nicox SA and may not be reproduced or distributed, in whole or in part. The information contained in this document has not been independently verified and no representation, warranty or undertaking, expressed or implied, is made as to, and no reliance should be placed on, the fairness, accuracy, completeness or correctness of the information or opinions contained herein.

The information contained in this document may be modified without former notice. This information includes forward-looking statements. Such forward-looking statements are not guarantees of future performance. These statements are based on current expectations or beliefs of the management of Nicox SA and are subject to a number of factors and uncertainties that could cause actual results to differ materially from those described in the forward-looking statements. Nicox SA and its affiliates, directors, officers, employees, advisers or agents, do not undertake, nor do they have any obligation, to provide updates or to revise any forward-looking statements.

None of Nicox SA nor any of its affiliates, directors, officers, employees, advisers or agents, shall have any liability whatsoever (in negligence or otherwise) for the use of these materials by any person or for any loss arising from any use of this document or its contents or otherwise arising in connection with this document. It is not the purpose of this document to provide, and you may not rely on this document as providing, a complete or comprehensive analysis of the Company's financial or commercial position or prospects.

This document is not intended for potential investors and does not constitute or form part of, and should not be construed as an offer or the solicitation of an offer to subscribe for or purchase securities of the Company, and nothing contained herein shall form the basis of or be relied on in connection with any contract or commitment whatsoever.

Risk factors which are likely to have a material effect on Nicox SA's business are presented in the 3rd chapter of the "*Document d'Enregistrement Universel, rapport financier annuel et rapport de gestion* 2021" filed with the French Autorité des Marchés Financiers (AMF) on April 29, 2022 under number D.22-0392 available on Nicox SA' website (www.nicox.com).

This presentation may contain links or references to websites operated by other parties. The linked sites are not under the control of Nicox SA, and Nicox SA is not responsible for the data protection strategies or the content available on any other Internet sites linked from our website. Such links do not imply Nicox SA' endorsement of material on any other site, and Nicox SA disclaims all liability with regard to your access to such linked websites. Nicox SA provides links to Internet sites as a convenience to users, and access to any Internet sites linked to or mentioned in this presentation is at your own risk.

Nicox at a Glance

Lead asset NCX 470, Phase 3,
a potential best-in-class glaucoma treatment

NCX 4251, Phase 2,
novel treatment with unique mode of application in dry eye disease

Financial strength underpinned by global partnerships and revenue generated from out-licensed commercial products

Pipeline


Stages of Development
Preclinical
Phase 1
Phase 2
Phase 3
NDA
Marketed
Expected milestones
Product Candidates
NCX 470 | novel NO-donating prostaglandin analog
Glaucoma & Ocular Hypertension
Partnered with Ocumension in the Chinese & SE Asian markets
Mont Blanc and Denali trials
Mont Blanc top-line results in November 2022
NCX 4251 | fluticasone propionate nanocrystal suspension
Dry Eye Disease
Partnered with Ocumension in the Chinese market
CMC preparation for next clinical trial
NCX 1728 | NO-donating PDE5 inhibitor
Glaucoma & Ocular Hypertension and Retinal Diseases
Entry into pre-IND development
Out-Licensed Commercial Products
VYZULTA®
Glaucoma
B+L BAUSCH + LOMB
Worldwide
Revenue growth
ZERVIATE®
Allergic conjunctivitis
eyevance
United States
OcuMension
Chinese & SE Asian markets
Chinese NDA preparation

NCX 470: Novel Late-Stage Product Candidate in Glaucoma

Based on Nicox's NO-Donating Research Platform

Glaucoma Results in Progressive and Irreversible Vision Loss



Healthy eye



Intraocular Pressure (IOP) builds up

Typical effect of glaucoma on vision

~3 million patients in the U.S. with open angle glaucoma[1]
Unmet medical need: 40% of patients fail to reach IOP goals with first-line therapy[2], prostaglandin analog (PGA) eyedrops

1. https://www.cdc.gov/features/glaucoma-awareness/index.html
2. Kass et al, Delaying treatment of ocular hypertension: the ocular hypertension treatment study. Arch Ophthalmol, 2010; 128:276-287

Every mmHg of IOP Lowering Reduces Risk of Glaucoma Progression

Results from the Early Manifest Glaucoma Trial (EMGT)[1]

"In these analyses, each mmHg of decreased IOP was related to an approximately 10% to 20% lowering [of risk of vision loss progression]"

~ Prof. Anders Heijl

Results from the United Kingdom Glaucoma Treatment Study (UKGTS)[2,3]

"[…] the risk reduction could be about 19% per mmHg, confirming results from the EMGT and Canadian Glaucoma Study, and showing that intraocular pressure reduction is highly effective, and that every mm of pressure counts."

~ Prof. Anders Heijl

1. Heijl et al. Reduction of intraocular pressure and glaucoma progression: results from the Early Manifest Glaucoma Trial. Arch Ophthalmol. 2002; 120: 1268-1279
2. Garway Heath et al. Latanoprost for open-angle glaucoma (UKGTS): a randomised, multicentre, placebo-controlled trial. The Lancet 2015; 385: 1295-1304
3. Heijl.Glaucoma treatment: by the highest level of evidence. The Lancet 2015; 385: 1264-1266

NCX 470 Targets ~$1.4 Billion U.S. Glaucoma PGA Market[1]

U.S. Glaucoma Pharmaceuticals Market is ~50% of the Global Market[1]

PGA Prescription Volume[2]



PGA Prescription Value[3]



1. IQVIA™ Analytics Link 2020
2. IQVIA NPA 2020
3. IQVIA™ Analytics Link 2020

NCX 470 Targets the Two Key Outflow Pathways for IOP Lowering

Potential for Best-in-Class Efficacy with Novel Dual Mechanism of Action

Two pathways for aqueous humor outflow



1 Primary or conventional outflow normally accounts for ~60% to 80% of outflow.

2 Secondary or uveoscleral outflow normally accounts for ~20% to 40% of outflow.



Stimulated by nitric-oxide (NO)

Stimulated by PGAs

NCX 470: Statistical Superiority to Market Leader in IOP Lowering

Linear Dose Response Suggests Potential Higher Efficacy for Phase 3 Dose

Efficacy vs Side Effect Profile Observed in Phase 2 Trial



Summary Phase 2 Dolomites Trial Results

- Large Phase 2 trial achieved statistical superiority to market leader, with comparable safety and no serious adverse events
- Conjunctival hyperemia plateaued

Ongoing Phase 3 Mont Blanc and Denali Trials

- Two multi-regional Phase 3 glaucoma trials at 0.1% dose ongoing in 670 patients each; designed for U.S. and China NDA submissions
- ***Top-line results from Mont Blanc expected in November 2022***

* p<0.05, **p=0.0009

Walters et al., A Randomized, Controlled Comparison of NCX 470 (0.021%, 0.042% and 0.065%) and Latanoprost 0.005% in Patients with Open-Angle Glaucoma or Ocular Hypertension: The Dolomites Study. J Glaucoma 2022; ahead of print. doi: 10.1097/IJG.0000000000002030

NCX 470: Two Phase 3 trials Support U.S. & China NDA Submissions

Mont Blanc Top-line Results Expected in November 2022

Randomized, double-masked *in patients with open angle glaucoma or ocular hypertension*

Mont Blanc trial
N=~670, across ~50 clinical sites in the U.S. and one site in China.
Top-line results: November 2022

Denali trial[1]
N=~670, across ~60 sites in the U.S. and China. Includes a 12-month safety extension. Trial jointly and equally financed by Ocumension.



Primary Endpoint: Mean intraocular pressure reduction from time-matched baseline at 8AM and 4PM at the Week 2, Week 6 and Month 3 Visits

1. The Denali top-line results are expected after 2023 and the Company will announce a new date for availability of the results when we have more visibility on the overall timelines of the trial.

NCX 470 Potential Peak Sales in U.S. First-Line Glaucoma Market

	EXISTING MARKET: ~$1.4 billion[1]		
Current therapies	**Traditional[2] PGAs** **Latanoprost: >70% of PGA prescriptions** Available for over 20 years	**VYZULTA** (latanoprostene bunod ophthalmic solution), 0.024%[3] Launched December 2017	**ROCKLATAN** (fixed dose combination of netarsudil and latanoprost ophthalmic solution) 0.02%/0.005%[2] Launched May 2019
IOP lowering	6 mmHg to 8 mmHg	7 mmHg to 9 mmHg	6.8 mmHg to 9.2 mmHg
Regulatory Phase 3	Compared with timolol	Compared with timolol	Compared with latanoprost
Comparison	No label data vs. PGAs	No label data vs. PGAs Phase 2 showed ~1.3 mmHg better vs latanoprost	1.58 mmHg greater reduction than latanoprost at 3 months[4]
Hyperemia	8% to 50%	6%	59% plus additional side effects not seen with PGAs

NCX 470

Two market research studies have estimated U.S. peak sales for NCX 470 0.1% of between $200 million and $300 million if NCX 470 demonstrates superiority in IOP lowering of 1.5 to 1.7 mmHg[6] in Phase 3 compared to latanoprost 0.005%

1. IQVIA™ Analytics Link 2020
2. Indicated for the reduction of elevated intraocular pressure in patients with open-angle glaucoma or ocular hypertension
3. Indicated for the reduction of intraocular pressure in patients with open-angle glaucoma or ocular hypertension
4. See Section 14, Clinical trials, Figure 1 and 2 of ROCKLATAN package insert for diurnal IOP at Day 90 for ROCKLATAN vs. latanoprost including both Mercury-1 and Mercury-2 IOP values (1.5; 1.7; 1.3; 1.5;2.0; and 1.5 mmHg)
5. Nicox internal market research, 2019 and 2021
6. Approved label claim

NCX 470 Shows Retinal Cell Protection in a Non-Clinical Model[1]

Improved ocular perfusion and retinal function in damaged eyes

Potential therapeutic properties beyond IOP lowering

Ocular hemodynamics
(Echo-doppler - Ophthalmic artery)

Retinal function
(Scotopic Electroretinogram - rod/cone responses)



*#§ p<0.05 vs respective baseline; * p<0.05 vs vehicle at the same time point, Student's t-Test*

- *Detrimental effect of ET-1 on ophthalmic artery hemodynamics was **significantly reversed** in eyes receiving NCX 470 0.1% bid (p<0.05 vs. vehicle at week 6)*
- *Photoreceptor response decline induced by ET-1 was **almost completely reversed** in eyes treated with NCX 470 0.1% bid (p<0.05 vs. vehicle at week 6)*

1. Bastia et al., NCX 470 restores ocular hemodynamic and retinal cell physiology after ET-1-induced ischemia/reperfusion injury of optic nerve and retina in rabbits. Journal of Ocular Pharmacology and Therapeutics 2022; in press

NCX 4251: Novel Treatment With Unique Mode of Application in Dry Eye Disease

NCX 4251 and Dry Eye Disease

An Innovative Potential Therapy for Treatment of Dry Eye Disease

Product

Unique eyelid margin application *designed to minimize corticosteroid-induced ocular adverse events*

Prevalence



34 million

Americans estimated to have dry eye disease[1]

Market

Over **$5bn** sales worldwide[2]

NCX 4251 is a novel, patented, ophthalmic suspension of fluticasone propionate nanocrystals

1. Paulsen et al, Dry Eye in the Beaver Dam Offspring Study: Prevalence, Risk Factors, and Health-Related Quality of Life. Am J Ophthalmol. 2014 April ; 157(4): 799–806.
2. Fortune Business Insights, Dry Eye Syndrome Market Size, Share & Industry Analysis, By Product (Anti-inflammatory and Artificial Tears & Lubricants), By Distribution Channel (Hospital Pharmacies, Retail Pharmacies, Online Pharmacies, and Others), and Regional Forecast, 2020-2027.

NCX 4251: Mississippi Phase 2b Clinical Trial and Next Steps

Targeting Future Development in Dry Eye Disease

Design

Mississippi was a U.S. Multi-Center, Randomized, Double-Masked, Placebo-Controlled, Phase 2b Study Evaluating the Safety and Efficacy of NCX 4251 Ophthalmic Suspension, 0.1% QD for the Treatment of Acute Exacerbations of Blepharitis

- 224 patients with blepharitis across multiple centers in the U.S.
- Evaluation visits at days 4 (blepharitis evaluation only), 8, 11 and 15 with follow-up at day 29

Results

Whilst not meeting the primary efficacy endpoint in blepharitis (*complete cure in the composite score of eyelid redness, eyelid discomfort and eyelid debris*), the results showed:

- ***Statistical significance in change from baseline for the composite score of eyelid redness, eyelid discomfort and eyelid debris between active and placebo groups***
- ***Statistically significant and clinically relevant effect over placebo in a number of dry eye symptoms in a subgroup of patients, in a post hoc analysis.*** 70%-80% of blepharitis sufferers also have dry eye
- NCX 4251 was found to be safe and well-tolerated after 14 days administration

Next Steps

- Clear path forward identified for dry eye disease following positive meeting with the U.S. FDA in early 2022
- Exploring how to best advance the development of NCX 4251 in dry eye disease

NCX 4251: Efficacy in Reducing Signs & Symptoms of Dry Eye Disease[1]

Reduction from baseline in eye dryness score[2]
in patients with inferior corneal fluorescein staining score of >=2



Post hoc subset analysis

- 123 of the overall 224 patients had inferior corneal fluorescein staining scores ≥2 on a scale of 0 (none) to 4 (severe)
- In this subset, patients had **statistically significant difference against placebo for change from baseline in eye dryness scores**
- Statistically significant differences against placebo were also observed in other symptoms of dry eye disease (photophobia, blurred vision, burning/stinging, foreign body sensation, ocular itching, pain) at all timepoints during treatment. In some symptoms the effects of treatment persisted up to two weeks after the end of dosing treatment
- Treatment group differences in change from baseline in inferior corneal fluorescein staining approached significance and could potentially reach that with a larger sample size

nicox visible science

1. Mississippi: U.S. Multi-Center, Randomized, Double-Masked, Placebo-Controlled, Phase 2b Study Evaluating the Safety and Efficacy of NCX 4251 Ophthalmic Suspension, 0.1% QD for the Treatment of Acute Exacerbations of Blepharitis, ClinicalTrials.gov Identifier: NCT04675242
2. Eye dryness measured on a visual analog scale (0 to 100)

NCX 1728: NO-Donating PDE5 Inhibitor in Glaucoma & IOP-Lowering and Certain Retinal Diseases

Based on Nicox's NO-Donating Research Platform

NCX 1728: NO-donating PDE5 inhibitor

- Lead in a new class of compounds (non-PGA related) with **NO-mediated IOP lowering effects** enhanced and prolonged by **concomitant PDE5 inhibition** within the same molecule

- Class of molecules is being evaluated for development in **glaucoma & IOP lowering** and in certain **retinal diseases**

- **Optimization of ophthalmic formulations** of NCX 1728 underway prior to initiating nonclinical testing required for the filing of an Investigational New Drug (IND) application

NCX 1728 Mechanism of action

Enhancing and prolonging the activity of NO



Improved ocular perfusion and reduced intraocular pressure

Corporate

- Key Partnerships
- Financial Highlights
- Anticipated Value-Creating Milestones

Experienced Management Team

Andreas Segerros Chief Executive Officer	PHARMACIA · sunstone LIFE SCIENCE VENTURES · Eir Ventures
Gavin Spencer, Ph.D. EVP, Chief Business Officer & Head of Corporate Development	NOVARTIS · BOOTS HEALTHCARE INTERNATIONAL
Doug Hubatsch EVP, Chief Scientific Officer	NOVARTIS · Alcon
Sandrine Gestin VP, Finance	IBM
Emmanuelle Pierry General Counsel & Head of Legal	Former member of the Paris Bar

Key Partnerships

OCUMENSION NCX 470, ZERVIATE, NCX 4251	• Exclusive rights[1] in China and certain Southeast Asian markets on three key assets • NCX 470: received €18 million; **6% to 12%** net royalties on sales; funding 50% of Phase 3 Denali clinical trial • ZERVIATE: Up to **$17.2 million** in sales milestones plus **5% to 9%** royalties on net sales. Phase 3 trial for Chinese NDA successfully completed • NCX 4251: Up to **$11.3 million** in milestones plus **5% to 10%** royalties on sales
VYZULTA Partnered with Bausch + Lomb worldwide	• First eye drop approved in 20 years with a novel approach to reduce IOP • Commercialized in 7 territories including the U.S., approved in 9 additional markets • **$20 million** milestone at $100 million net sales[2] • **6% to 12%** net[3] royalties on global sales
ZERVIATE	• First and only eye drop formulation of cetirizine • Commercialized in the U.S. by Eyevance, a wholly-owned subsidiary of Santen Pharmaceutical Co., Ltd, Japan • Licensed to other partners in the Chinese market, Korea, Gulf and Arab markets, South East Asia, Mexico

1. Includes SE Asian markets for NCX 470 and ZERVIATE, and Korea for NCX 470
2. $15 million of this is payable to Pfizer per the terms of the contract signed with Pfizer in August 2009 by which Nicox recovered the rights to latanoprostene bunod
3. Net of royalties payable to Pfizer, per the terms of the contract signed with Pfizer in August 2009 by which Nicox recovered the rights to latanoprostene bunod

Partnership with Fera on Naproxcinod in Sickle Cell Disease

Developing Naproxcinod for an Inherited Orphan Disease

Disease

Faulty version of hemoglobin causes normally oval-shaped red blood cells to assume a sickle-like shape

Prevalence



100,000

Americans estimated to suffer from sickle cell disease

Status

- Naproxcinod is a **COX-Inhibiting Nitric Oxide Donor (CINOD)**
- **Orphan Drug Designation** granted by the U.S. FDA for sickle cell disease
- Fera has an **exclusive license for the United States**
- Naproxcinod already **tested on 2,700 patients** in another indication, providing a significant clinical safety database for the development in sickle cell disease
- Strong scientific rationale on the **role of NO in sickle cell disease**

Nicox is eligible to potentially receive a single $40 million sales-based milestone if naproxcinod reaches $1 billion yearly sales (for any indication) in the U.S. as well as royalties of 7% on future net sales of naproxcinod in the U.S., and retains all rights to naproxcinod outside the U.S., subject to the payment of royalties to Fera, if intellectual property developed under the agreement is used outside the U.S.

Financial Highlights

Estimated Financial Position as of June 30, 2022[1]	
Cash, Cash Equivalents	€31.6 million
Debt[2]	€20.6 million
Cash runway[3]	Q4 2023

Outstanding Shares[4]	43.2 million
Management and Employees Ownership	1.9%
Key Institutional Investor	HBM Partners 7.0%

Analyst Coverage	
Bryan Garnier	Dylan Van Haaften
H.C. Wainwright	Yi Chen
Kepler Cheuvreux	Arsene Guekam
Edison Investment Research	Pooya Hemami

1. Unaudited figure
2. From a bond financing agreement with Kreos Capital, for €18.6 million, a non-dilutive €2 million loan facility credit agreement guaranteed by the French state in the context of the COVID-19 pandemic
3. The cash runway is calculated assuming the development of NCX 470 alone. The Company is currently exploring how to best advance the development of NCX 4251 in dry eye disease and will communicate its strategy at a future date
4. Existing outstanding shares as of June 30, 2022

Value-Creating Milestones

Building Our Late-Stage Ophthalmic Portfolio for Commercialization



Nicox at a Glance

Lead asset NCX 470, Phase 3,
a potential best-in-class glaucoma treatment

NCX 4251, Phase 2,
novel treatment with unique mode of application in dry eye disease

Financial strength underpinned by global partnerships and revenue generated from out-licensed commercial products

Innovative Solutions to Help Maintain Vision and Improve Ocular Health

Nicox S.A.
Drakkar 2 – Bât. D
2405 Route des Dolines
CS 10313 Sophia Antipolis
06560 Valbonne, France
T: +33 (0)4 97 24 53 00
F: +33 (0)4 97 24 53 99
communications@nicox.com

Nicox Ophthalmics, Inc.
4819 Emperor Blvd. Suite 400
Durham, NC 27703, U.S.
T: +1 984 219 1751

Nicox Research Institute S.r.l.
Via Ariosto 21
20091 Bresso
Milano, Italy
T: +39 02 61 03 61
F: +39 02 61 03 64 30

www.nicox.com